

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Bright copper plating solution

Revision: 29.08.2023

Product code: DG-006

Page 1 of 11

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Bright copper plating solution

UFI: 9C00-60J0-S00P-G65C

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Coating metals with a shiny copper layer

#### Uses advised against

Other uses than those specified in section 1.2 of this safety data sheet are not recommended.

### 1.3. Details of the supplier of the safety data sheet

Company name: Thomas Henning e.K.  
Street: Buschurweg 4  
Place: D-76870 Kandel  
Telephone: +49 7275 94 78 199  
E-mail: info@drgalva.com  
Internet: drgalva.net

### 1.4. Emergency telephone number:

Emergency Action: In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department or the NHS enquiry service.

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

Met. Corr. 1; H290  
Skin Corr. 1; H314  
Eye Dam. 1; H318  
Aquatic Acute 1; H400  
Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

#### Regulation (EC) No 1272/2008

#### Hazard components for labelling

copper sulphate pentahydrate  
sulphuric acid

Signal word: Danger

#### Pictograms:



#### Hazard statements

H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.  
H400 Very toxic to aquatic life.  
H411 Toxic to aquatic life with long lasting effects.

#### Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Bright copper plating solution

Revision: 29.08.2023

Product code: DG-006

Page 2 of 11

P102	Keep out of reach of children.
P234	Keep only in original packaging.
P260	Do not breathe dust/vapours/spray.
P280	Wear protective gloves/protective clothing and eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P501	Do not discard content with household waste and forward for disposal according to regional/national guidelines.

### 2.3. Other hazards

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
7758-99-8	copper sulphate pentahydrate			15 - < 20 %
	231-847-6	029-023-00-4	01-2119520566-40	
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H302 H315 H318 H400 H410			
7664-93-9	sulphuric acid			5 - < 10 %
	231-639-5	016-020-00-8	01-2119458838-20	
	Met. Corr. 1, Skin Corr. 1A; H290 H314			

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
7758-99-8	231-847-6	copper sulphate pentahydrate	15 - < 20 %
		oral: ATE 481 mg/kg Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=1	
7664-93-9	231-639-5	sulphuric acid	5 - < 10 %
		Skin Corr. 1A; H314: >= 15 - 100 Skin Irrit. 2; H315: >= 5 - < 15 Eye Irrit. 2; H319: >= 5 - < 15	

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

In case of troubles or persistent symptoms, consult an doctor/physician.

#### After inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician.

In case of irregular breathing or respiratory arrest, perform artificial respiration. No mouth-to-mouth or

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Bright copper plating solution

Revision: 29.08.2023

Product code: DG-006

Page 3 of 11

mouth-to-nose resuscitation. Use Ambu bag or ventilator.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Call a doctor. Change contaminated clothing. Wash contaminated clothing before reuse.

#### After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately. Protect uninjured eye.

#### After ingestion

Rinse mouth, spit liquid again. Do NOT induce vomiting. Let water be drunken in little sips (dilution effect). Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

#### 4.2. Most important symptoms and effects, both acute and delayed

irritation. burnes. gastro-intestinal ailment. Spasms. vomiting. Dyspnoea. Nausea. Stomach perforation. Circulatory collapse. Pulmonary oedema

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.  
Carbon dioxide (CO<sub>2</sub>). Extinguishing powder. Atomized water. Foam.

##### Unsuitable extinguishing media

High power water jet.

#### 5.2. Special hazards arising from the substance or mixture

Upon exposure to fire, harmful gases may be emitted.  
Carbon dioxide (CO<sub>2</sub>). Carbon monoxide. Sulfur oxides. Metal oxide smoke, toxic

#### 5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings. Wear a self-contained breathing apparatus and chemical protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### General advice

Provide adequate ventilation. Wear suitable protective clothing.  
Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

#### 6.3. Methods and material for containment and cleaning up

##### For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Wear personal protection equipment. Treat the recovered material as prescribed in the section on waste disposal.

##### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### 6.4. Reference to other sections

Safe handling: see section 7  
Personal protection equipment: see section 8  
Disposal: see section 13

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Bright copper plating solution

Revision: 29.08.2023

Product code: DG-006

Page 4 of 11

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Personal precautions: refer to section 8 Persons with a history of skin sensitisation problems should not be employed in any process in which this product is used.

Provide adequate ventilation, especially in confined areas.

Do not empty into drains; dispose of this material and its container in a safe way.

#### Advice on general occupational hygiene

Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

#### Further information on handling

Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Store only in original container. Keep container tightly closed in a cool, well-ventilated place.

Protect from heat/overheating.

Store separately from oxidizing agents.

#### Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

### 7.3. Specific end use(s)

Coating metals with a shiny copper layer

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

CAS No	Substance	ppm	mg/m <sup>3</sup>	fib/cm <sup>3</sup>	Category	Origin
7664-93-9	Sulphuric acid	-	0.05		TWA (8 h)	

#### Additional advice on limit values

According to the currently valid lists, there are not further binding work place safety values.

### 8.2. Exposure controls

#### Appropriate engineering controls

Do not breathe gas/fumes/vapour/spray. Provide protection equipment (eye wash bottles, etc.).

#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Tightly sealed safety glasses.

##### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable material:: FKM (fluororubber).

Thickness of glove material: >0,7 mm

penetration time (maximum wearing period): >480 min.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Bright copper plating solution

Revision: 29.08.2023

Product code: DG-006

Page 5 of 11

mentioned above together with the supplier of these gloves.

#### Skin protection

Use of protective clothing, Chemical resistant safety shoes. - acid-resistant.

The design of personal protective equipment must be selected specifically for the job, depending on the concentration and quantity of hazardous substances. The chemical resistance of the protective agents should be clarified with their suppliers.

#### Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Protective respiration apparatus not using surrounding air (breathing apparatus) (DIN EN 133).

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	liquid	
Colour:	blue	
Odour:	characteristic	
Melting point/freezing point:		no data available
Boiling point or initial boiling point and boiling range:		ca.100 °C
Flammability:		no data available
Lower explosion limits:		no data available
Upper explosion limits:		no data available
Flash point:		not applicable
Auto-ignition temperature:		no data available
Decomposition temperature:		no data available
pH-Value (at 20 °C):		1
Viscosity / kinematic:		no data available
Water solubility:		no data available
Solubility in other solvents		no data available
Dissolution rate:		no data available
Partition coefficient n-octanol/water:		no data available
Dispersion stability:		no data available
Vapour pressure:		no data available
Density:		1,1-1,2 g/cm³
Relative density:		no data available
Bulk density:		no data available
Relative vapour density:		no data available
Particle characteristics:		no data available

### 9.2. Other information

#### Information with regard to physical hazard classes

Explosive properties

not Explosive.

Self-ignition temperature

Solid:

no data available

Oxidizing properties

no data available

#### Other safety characteristics

Viscosity / dynamic:

no data available

#### Further Information

no data available

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Bright copper plating solution

Revision: 29.08.2023

Product code: DG-006

Page 6 of 11

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Substances or mixtures corrosive to metals.

### 10.2. Chemical stability

The product is stable under normal environmental conditions (room temperature).

### 10.3. Possibility of hazardous reactions

No dangerous reactivity under regular conditions.

### 10.4. Conditions to avoid

Protect against contaminations.

### 10.5. Incompatible materials

Oxidising substances  
Base

### 10.6. Hazardous decomposition products

In case of fire hazardous decomposition products may be formed.  
Carbon dioxide (CO<sub>2</sub>). Carbon monoxide. Sulfur oxides. Metal oxide smoke, toxic

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7758-99-8	copper sulphate pentahydrate				
	oral	ATE 481 mg/kg			

#### Irritation and corrosivity

Skin corrosion/irritation: Causes severe skin burns and eye damage. (On basis of test data)  
Serious eye damage/eye irritation: Causes serious eye damage. (On basis of test data)

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.  
Carcinogenicity: Based on available data, the classification criteria are not met.  
Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.  
If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

### 11.2. Information on other hazards

#### Endocrine disrupting properties

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Bright copper plating solution

Revision: 29.08.2023

Product code: DG-006

Page 7 of 11

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

## SECTION 12: Ecological information

### 12.1. Toxicity

Very toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

### 12.2. Persistence and degradability

No data available.

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No data available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal recommendations

Disposal according to official regulations.

Consult the local waste disposal expert about waste disposal. According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

## SECTION 14: Transport information

### Land transport (ADR/RID)

#### 14.1. UN number or ID number:

UN 3264

#### 14.2. UN proper shipping name:

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.  
(sulphuric acid)

#### 14.3. Transport hazard class(es):

8

#### 14.4. Packing group:

II

Hazard label:

8



Classification code:

C1

Special Provisions:

274

Limited quantity:

1 L

Excepted quantity:

E2

Transport category:

2

Hazard No:

80

Tunnel restriction code:

E

### Inland waterways transport (ADN)

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Bright copper plating solution

Revision: 29.08.2023

Product code: DG-006

Page 8 of 11

**14.1. UN number or ID number:**

UN 3264

**14.2. UN proper shipping name:**

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.  
(sulphuric acid)

**14.3. Transport hazard class(es):**

8

**14.4. Packing group:**

II

Hazard label:

8



Classification code:

C1

Special Provisions:

274

Limited quantity:

1 L

Excepted quantity:

E2

### Marine transport (IMDG)

**14.1. UN number or ID number:**

UN 3264

**14.2. UN proper shipping name:**

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.  
(sulphuric acid)

**14.3. Transport hazard class(es):**

8

**14.4. Packing group:**

II

Hazard label:

8



Special Provisions:

274

Limited quantity:

1 L

Excepted quantity:

E2

EmS:

F-A, S-B

Segregation group:

acids

### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number or ID number:**

UN 3264

**14.2. UN proper shipping name:**

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.  
(sulphuric acid)

**14.3. Transport hazard class(es):**

8

**14.4. Packing group:**

II

Hazard label:

8



Special Provisions:

A3 A803

Limited quantity Passenger:

0.5 L

Passenger LQ:

Y840

Excepted quantity:

E2

IATA-packing instructions - Passenger:

851

IATA-max. quantity - Passenger:

1 L

IATA-packing instructions - Cargo:

855

IATA-max. quantity - Cargo:

30 L

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

Yes



Danger releasing substance:

copper sulphate pentahydrate



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Bright copper plating solution

Revision: 29.08.2023

Product code: DG-006

Page 9 of 11

#### 14.6. Special precautions for user

No special precautions known.

#### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to Directive

E1 Hazardous to the Aquatic Environment

2012/18/EU (SEVESO III):

Marketing and use of explosives precursors (Regulation (EU) 2019/1148):

This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

##### Additional information

Regulation (EC) No. 1907/2006 (REACH)

Regulation (EC) No. 648/2004 [Detergents regulation]: not applicable

Regulation (EC) No. 1005/2009 on substances that lead to the depletion of the ozone layer: not applicable

Regulation (EC) No 2019/1021 on persistent organic pollutants: not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council concerning the export and import of dangerous chemicals: This mix contains no chemicals that are subject to the export notification procedures (annex 1).

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none

This mixture contains the following substances of very high concern (SVHC) which are subject to authorisation according to Annex XIV of REACH: none

##### National regulatory information

Water hazard class (D):

3 - highly hazardous to water

##### Additional information

Observe in addition any national regulations!

#### 15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

copper sulphate pentahydrate

sulphuric acid

### SECTION 16: Other information

#### Changes

This data sheet contains changes from the previous version in section(s):

1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16.

Version 1,00 - 19.03.2021 - first creation

Version 1,01 - 09.02.2022 - General update

Version 1,02 - 29.08.2023 - Change and revision of the SDS because of new information / recipe

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Bright copper plating solution

Revision: 29.08.2023

Product code: DG-006

Page 10 of 11

#### Abbreviations and acronyms

Met. Corr. 1: Corrosive to metals, hazard category 1  
 Acute Tox. 4: Acute toxicity, hazard category 4  
 Skin Corr. 1A: Skin corrosion, sub-category 1A  
 Skin Irrit. 2: Skin irritation, hazard category 2  
 Eye Dam. 1: Serious eye damage, hazard category 1  
 Aquatic Acute 1: Hazardous to the aquatic environment, hazard category: Acute 1  
 Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard category: Chronic 1  
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 BImSchV (Fed.Imm.Prot.Act): Directive on the Implementation of the Federal Immission Protection Act  
 CAS: Chemical Abstracts Service  
 DIN: Norm of the Deutsche Institut für Normung (German Institute for Standardization)  
 EC: Effective Concentration  
 EG: European Community (Europäische Gemeinschaft)  
 EN: European Norm  
 IATA: International Air Transport Association  
 IBC Code: International Code for the Construction and Equipment of ships carrying Dangerous Chemicals in Bulk  
 ICAO: International Civil Aviation Organization  
 IMDG: International Maritime Code for Dangerous Goods  
 ISO: Norm of the International Standards Organization  
 CLP: Classification, Labeling, Packaging  
 IUCLID: International Uniform Chemical Information Database  
 LC: Lethal concentration  
 LD: Lethal dose  
 log Kow: Octanol/water partition coefficient  
 MARPOL: Maritime Pollution Convention = Convention for the Prevention of Maritime Pollution from Ships  
 OECD: Organisation for Economic Co-operation and Development  
 PBT: Persistent, bio-cumulative, toxic  
 RID: Regulation Concerning the International Transport of Dangerous Goods by Rail  
 TRGS: Technische Regeln für Gefahrstoffe  
 UN: United Nations  
 VOC: Volatile Organic Compounds  
 vPvB: very persistent and very bio-cumulative  
 VwVwS: Administrative Regulation for Water Pollutants  
 WGK: German Water Hazard Class  
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 DNEL: Derived No Effect Level  
 PNEC: Predicted No Effect Concentration  
 TLV: Threshold Limiting Value  
 STOT: Specific Target Organ Toxicity

#### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data
Aquatic Acute 1; H400	Calculation method
Aquatic Chronic 2; H411	Calculation method

#### Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Bright copper plating solution**

Revision: 29.08.2023

Product code: DG-006

Page 11 of 11

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

**Further Information**

The information given in this safety data sheet is to describe the product's safety regulations. It is not for guaranteeing certain characteristics and is based on today's knowledge. The safety data sheet was generated upon information of pre-suppliers by:

asseso AG, Ottostraße 1, 63741, Aschaffenburg, Germany

Phone: +49 (0)6021 - 1 50 86-0, Fax: +49 (0)6021 - 1 50 86-77, E-Mail: eu-sds@asseso.eu, www.asseso.eu

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*