

according to Regulation (EC) No 1907/2006

# Ultra-7

Revision: 29.08.2023

Product code: DG-001

Page 1 of 15

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

Ultra-7

UFI:

YE20-C03J-400J-CD4W

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

Creating a black layer on iron, steel and zinc (burnishing)

## Uses advised against

Other uses than those specified in section 1.2 of this safety data sheet are not recommended.

# 1.3. Details of the supplier of the safety data sheet

Company name:	Thomas Henning e.K.
Street:	Buschurweg 4
Place:	D-76870 Kandel
Telephone:	+49 7275 94 78 199
E-mail:	info@drgalva.com
Internet:	drgalva.net
<u>1.4. Emergency telephone</u> number:	Emergency Action: In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department or the NHS enquiry service.

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008 Met. Corr. 1; H290 Acute Tox. 4; H332 Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

# Regulation (EC) No 1272/2008

## Hazard components for labelling

phosphoric acid Selenium dioxide copper sulphate pentahydrate nickel sulfate

Signal word:

Pictograms:



# Hazard statements

H290 H302+H332 May be corrosive to metals. Harmful if swallowed or if inhaled.



according to Regulation (EC) No 1907/2006

# Ultra-7

Revision: 29.08.2023 Product code: DG-001 Page 2 of 15 H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H400 Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. H411 **Precautionary statements** P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P260 Do not breathe dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing and eye protection/face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. P501 Do not discard content with household waste and forward for disposal according to regional/national guidelines. 2.3. Other hazards

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# **SECTION 3: Composition/information on ingredients**

3.2. Mixtures



Ultra-7

Revision: 29.08.2023

Product code: DG-001

Page 3 of 15

# **Relevant ingredients**

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	Classification (Regulation	(EC) No 1272/2008)		
7664-38-2	phosphoric acid			15 - < 20 %
	231-633-2	015-011-00-6	01-2119485924-24	
	Met. Corr. 1, Acute Tox. 4,	, Skin Corr. 1B; H290 H302 H314		
7446-08-4	Selenium dioxide			2,5 - < 5 %
	231-194-7	034-002-00-8	01-2120089867-33	
		, Skin Corr. 1B, Eye Dam. 1, STOT 14 H318 H373 H400 H410	RE 2, Aquatic Acute 1, Aquatic	
7758-99-8	copper sulphate pentahyd	rate		2,5 - < 5 %
	231-847-6	029-023-00-4	01-2119520566-40	
	Acute Tox. 4, Skin Irrit. 2, H400 H410	Eye Dam. 1, Aquatic Acute 1, Aqua	tic Chronic 1; H302 H315 H318	
1314-13-2	zinc oxide			<2,5 %
	215-222-5	030-013-00-7	01-2119463881-32	
	Aquatic Acute 1, Aquatic 0	Chronic 1; H400 H410		
7681-49-4	sodium fluoride			0,5 - < 1 %
	231-667-8	009-004-00-7	01-2119539420-47	
	Acute Tox. 3, Skin Irrit. 2,	Eye Irrit. 2; H301 H315 H319 EUH	)32	
7786-81-4	nickel sulfate			<0,1 %
	232-104-9	028-009-00-5	01-2119439361-44	
		B, Acute Tox. 4, Acute Tox. 4, Skin e 1, Aquatic Chronic 1; H350i H341	Irrit. 2, Resp. Sens. 1, Skin Sens. 1, H360D H332 H302 H315 H334	

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity			
	Specific Conc	Limits, M-factors and ATE				
7664-38-2	231-633-2	phosphoric acid	15 - < 20 %			
	oral: ATE = 5 Irrit. 2; H319:	00 mg/kg Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye >= 10 - < 25				
7446-08-4	231-194-7	Selenium dioxide	2,5 - < 5 %			
	inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); oral: ATE = 100 mg/kg					
7758-99-8	231-847-6	copper sulphate pentahydrate	2,5 - < 5 %			
		1 mg/kg Aquatic Acute 1; H400: M=10 nic 1; H410: M=1				
1314-13-2	215-222-5	zinc oxide	<2,5 %			
	oral: LD50 =	> 5000 mg/kg				
7681-49-4	231-667-8	sodium fluoride	0,5 - < 1 %			
	oral: LD50 =	52 mg/kg				
7786-81-4	232-104-9	nickel sulfate	<0,1 %			
	mg/kg Skin I >= 1 - 100 S Aquatic Acute	TE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: ATE = 500 rrit. 2; H315: >= 20 - 100 Skin Sens. 1; H317: >= 0,01 - 100 STOT RE 1; H372: STOT RE 2; H373: >= 0,1 - < 1 1; H400: M=1 nic 1; H410: M=1				



according to Regulation (EC) No 1907/2006

# Ultra-7

Revision: 29.08.2023

Product code: DG-001

Page 4 of 15

## **Further Information**

The percentages of the ingredients not listed here are all below the level of consideration.

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### **General information**

In case of troubles or persistent symptoms, consult an doctor/physician.

#### After inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician. In case of irregular breathing or respiratory arrest, perform artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Call a doctor. Change contaminated clothing. Wash contaminated clothing before reuse.

## After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.

## After ingestion

Rinse mouth, spit liquid again. Do NOT induce vomiting. Let water be drunken in little sips (dilution effect). Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

## 4.2. Most important symptoms and effects, both acute and delayed

irritation. burnes. gastro-intestinal ailment. Spasms. vomiting. Dyspnoea. Nausea. Stomach perforation. Circulatory collapse. Pulmonary oedema Allergic reactions

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

Carbon dioxide (CO2). Extinguishing powder. Fight larger fires with water spray jet or alcohol-resistant foam.

## Unsuitable extinguishing media

High power water jet.

## 5.2. Special hazards arising from the substance or mixture

Upon exposure to fire, harmful gases may be emitted. Carbon dioxide (CO2). Carbon monoxide. Phosphorus oxides. Metal oxide smoke, toxic

## Carbon dioxide (COZ). Carbon monoxide. I nosphorus oxides. M

# 5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings. Wear a self-contained breathing apparatus and chemical protective clothing.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

## General advice

Avoid breathing dust/fume/gas/mist/vapours/spray. Provide adequate ventilation. Wear suitable protective clothing. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

## 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.



according to Regulation (EC) No 1907/2006

# Ultra-7

Revision: 29.08.2023

Product code: DG-001

Page 5 of 15

## 6.3. Methods and material for containment and cleaning up

## For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Wear personal protection equipment. Treat the recovered material as prescribed in the section on waste disposal.

## For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

## Advice on safe handling

Personal precautions: refer to section 8 Persons with a history of skin sensitisation problems should not be employed in any process in which this product is used. Provide adequate ventilation, especially in confined areas.

Do not empty into drains; dispose of this material and its container in a safe way.

## Advice on general occupational hygiene

Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

#### Further information on handling

Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

## 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Store only in original container. Keep container tightly closed in a cool, well-ventilated place. Protect from heat/overheating. Store separately from oxidizing agents.

## Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

# 7.3. Specific end use(s)

Creating a black layer on iron, steel and zinc (burnishing)

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

#### **Occupational exposure limits**

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
-	Fluorides, inorganic	-	2.5		TWA (8 h)	
7664-38-2	Orthophosphoric acid	-	1		TWA (8 h)	
		-	2		STEL (15 min)	
1314-13-2	Zinc oxide, fume (Respirable Fraction)	-	2		TWA (8 h)	
		-	10		STEL (15 min)	



Ultra-7

Revision: 29.08.2023

Product code: DG-001

Page 6 of 15

# **Biological limit values**

CAS No	Substance	Parameter	Value	Test material	Sampling time
-	Inorganic fluorides (not uranium hexafluoride)	Fluoride	2 mg/L	Urine	Prior to shift

## **DNEL/DMEL** values

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
1314-13-2	zinc oxide					
Consumer DNEL, long-term		oral		0,83 mg/kg bw/day		
Consumer DNEL, long-term		dermal		83,3 mg/kg bw/day		
Worker DNEL, long-term		dermal		83,3 mg/kg bw/day		
Consumer DNEL, long-term		inhalation		2,5 mg/m³		
Worker DNEL, long-term		inhalation		5 mg/m³		

# **PNEC** values

CAS No	Substance					
Environmental compartment Value						
1314-13-2	I-13-2 zinc oxide					
Freshwater						
Marine water		0,006 mg/l				
Freshwater sediment 117,8		117,8 mg/kg				
Marine sediment		56,5 mg/kg				
Micro-organisms in sewage treatment plants (STP) 0,05		0,052 mg/l				
Soil						

## Additional advice on limit values

According to the currently valid lists, there are not further binding work place safety values.

## 8.2. Exposure controls

## Appropriate engineering controls

Do not breathe gas/fumes/vapour/spray. Provide protection equipment (eye wash bottles, etc.).

# Individual protection measures, such as personal protective equipment

## Eye/face protection

Tightly sealed safety glasses.

## Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable material:: NBR (Nitrile rubber). Thickness of glove material: >0,35 mm penetration time (maximum wearing period): >480 min.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.



# GALVA

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

# Ultra-7

Revision: 29.08.2023

Product code: DG-001

Page 7 of 15

# Skin protection

Protective clothing: Chemical resistant safety shoes The design of personal protective equipment must be selected specifically for the job, depending on the concentration and quantity of hazardous substances. The chemical resistance of the protective agents should be clarified with their suppliers.

# **Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Protective respiration apparatus not using surrounding air (breathing apparatus) (DIN EN 133).

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state:	liquid	
Colour:	green	
Odour:	characteristic	
Melting point/freezing point:		no data available
Boiling point or initial boiling point ar	nd	108 °C
boiling range:		
Flammability:		no data available
Lower explosion limits:		no data available
Upper explosion limits:		no data available
Flash point:		no data available
Auto-ignition temperature:		no data available
Decomposition temperature:		no data available
pH-Value (at 20 °C):		1,1
Viscosity / kinematic:		1,1 mm²/s
Water solubility:		no data available
Solubility in other solvents		
no data available		
Dissolution rate:		no data available
Partition coefficient n-octanol/water:		no data available
Dispersion stability:		no data available
Vapour pressure:		no data available
Vapour pressure:		no data available
Density:		1,1 g/cm³
Relative density:		no data available
Bulk density:		no data available
Relative vapour density:		no data available
Particle characteristics:		no data available
9.2. Other information		
Information with regard to physica	I hazard classes	
Explosive properties		
not Explosive.		
Self-ignition temperature		
Solid:		no data available
Oxidizing properties		
no data available		
Other safety characteristics		
Viscosity / dynamic:		no data available
Further Information		
no data available		



according to Regulation (EC) No 1907/2006

# Ultra-7

Revision: 29.08.2023

Product code: DG-001

Page 8 of 15

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

Substances or mixtures corrosive to metals.

#### 10.2. Chemical stability

The product is stable under normal environmental conditions (room temperature).

## 10.3. Possibility of hazardous reactions

No dangerous reactivity under regular conditions.

#### 10.4. Conditions to avoid

Protect against contaminations.

# 10.5. Incompatible materials

Oxidising substances Base

#### 10.6. Hazardous decomposition products

In case of fire hazardous decomposition products may be formed. Carbon dioxide (CO2). Carbon monoxide. Phosphorus oxides. Metal oxide smoke, toxic

## **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Acute toxicity

Harmful if inhaled. Harmful if swallowed.

## ATEmix calculated

ATE (oral) 1037 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) 10,16 mg/l; ATE (inhalation dust/mist) 1,016 mg/l



# Ultra-7

Revision: 29.08.2023

Product code: DG-001

Page 9 of 15

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
7664-38-2	phosphoric acid					
	oral	ATE mg/kg	500			
7446-08-4	Selenium dioxide					
	oral	ATE mg/kg	100			
	inhalation vapour	ATE	0,5 mg/l			
	inhalation dust/mist	ATE	0,05 mg/l			
7758-99-8	copper sulphate pental	nydrate				
	oral	ATE 481	mg/kg			
1314-13-2	zinc oxide					
	oral	LD50 mg/kg	> 5000	Rat		
7681-49-4	sodium fluoride					
	oral	LD50	52 mg/kg	Rat	RTECS	
7786-81-4	nickel sulfate					
	oral	ATE mg/kg	500			
	inhalation vapour	ATE	11 mg/l			
	inhalation dust/mist	ATE	1,5 mg/l			

## Irritation and corrosivity

Skin corrosion/irritation: Causes severe skin burns and eye damage. Serious eye damage/eye irritation: Causes serious eye damage.

## Sensitising effects

May cause an allergic skin reaction. (nickel sulfate)

## Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

## Aspiration hazard

Based on available data, the classification criteria are not met.

# 11.2. Information on other hazards

## Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

# **SECTION 12: Ecological information**

## 12.1. Toxicity

Very toxic to aquatic life.

Toxic to aquatic life with long lasting effects.



# Ultra-7

Revision: 29.08.2023

Product code: DG-001

Page 10 of 15

CAS No	Chemical name	Chemical name					
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
7664-38-2	phosphoric acid						
	Acute fish toxicity	LC50	138 mg/l	96 h	Gambusia affinis		
1314-13-2	zinc oxide	zinc oxide					
	Acute fish toxicity	LC50 mg/l	1,31	96 h	Oncorhynchus mykiss (Rainbow trout)		
	Acute algae toxicity	ErC50 mg/l	0,21	72 h	Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50	2,2 mg/l	48 h	Daphnia magna		
	Algae toxicity	NOEC mg/l	0,04		Pseudokirchneriella subcapitata		
7681-49-4	sodium fluoride						
	Acute fish toxicity	LC50	925 mg/l	96 h	Gambusia affinis		
	Acute algae toxicity	ErC50	850 mg/l	72 h	Desmodesmus subspicatus		
	Acute crustacea toxicity	EC50	338 mg/l	48 h	Daphnia magna	IUCLID	

## 12.2. Persistence and degradability

No data available.

## 12.3. Bioaccumulative potential

No data available.

## 12.4. Mobility in soil

No data available.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

No data available.

## Further information

Harmful effect on aquatic organisms due to pH shift.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

## **Disposal recommendations**

Disposal according to official regulations. Consult the local waste disposal expert about waste disposal. According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

<b>SECTION 14:</b>	Transport	information
--------------------	-----------	-------------

## Land transport (ADR/RID)

14.1. UN number or ID number:	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (phosphoric acid,
	Selenium dioxide)
<u>14.3. Transport hazard class(es):</u>	8



# according to Regulation (EC) No 1907/2006

Ultra-7		
Revision: 29.08.2023	Product code: DG-001	Page 11 of 15
		Ū į
<u>14.4. Packing group:</u> Hazard label:	III 8	
	0 Â	
Classification code:	C1	
Special Provisions:	274	
Limited quantity:	5 L	
Excepted quantity: Transport category:	E1 3	
Hazard No:	80	
Tunnel restriction code:	E	
	-	
Inland waterways transport (ADN) <u>14.1. UN number or ID number:</u>	UN 3264	
14.1. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (phosphoric acid	
	Selenium dioxide)	3
14.3. Transport hazard class(es):	8	
14.4. Packing group:		
Hazard label:	8	
	8	
Classification code:	C1	
Special Provisions:	274 5 L	
Limited quantity: Excepted quantity:	5L E1	
	El	
Marine transport (IMDG) <u>14.1. UN number or ID number:</u>	UN 3264	
	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (phosphoric acid	
14.2. UN proper shipping name:	selenium dioxide )	,
<u>14.3. Transport hazard class(es):</u>	8	
14.4. Packing group:		
Hazard label:	8	
	Â.	
Special Provisions: Limited quantity:	223 274 5 L	
Excepted quantity:	5 L E1	
Excepted quantity. EmS:	F-A, S-B	
Segregation group:	1 - acids	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number or ID number:</u>	UN 3264	
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (phosphoric acid	
	selenium dioxide )	,
14.3. Transport hazard class(es):	8	
14.4. Packing group:	III	
Hazard label:	8	
	8	



Ultra-7		
Revision: 29.08.2023	Product code: DG-001	Page 12 of 1
Special Provisions:	A3 A803	
Limited quantity Passenger: Passenger LQ:	1 L Y841	
Excepted quantity:	E1	
IATA-packing instructions - Passenger:	852	
IATA-max. quantity - Passenger:	5 L	
IATA-packing instructions - Cargo:	856	
IATA-max. quantity - Cargo:	60 L	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	Yes	
Danger releasing substance:	Selenium dioxide, copper sulphate pentahydrate, zinc oxide	
14.6. Special precautions for user		
No special precautions known.		
14.7. Maritime transport in bulk according to	MO instruments	
not applicable		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regul	ations/legislation specific for the substance or mixture	
EU regulatory information		
Restrictions on use (REACH, annex XVII):		
Entry 3, Entry 27, Entry 75		
Information according to Directive 2012/18/EU (SEVESO III):	E1 Hazardous to the Aquatic Environment	
Additional information		
Regulation (EC) No. 1907/2006 (REAC	H)	
Regulation (EC) No. 648/2004 [Deterge		
<b>e</b> ( )	stances that lead to the depletion of the ozone layer: not applicable	
	istent organic pollutants: not applicable	
	ropean Parliament and of the Council concerning the export and impor	t
	ains no chemicals that are subject to the export notification procedures	
(annex 1). This mixture contains the following sub-	stances of very high concern (SVHC) which are included in the	
Candidate List according to Article 59 c		
	stances of very high concern (SVHC) which are subject to authorisatior	ı
according to Annex XIV of REACH: nor	ne	
National regulatory information		
Water hazard class (D):	3 - highly hazardous to water	
Additional information		
Observe in addition any national regula	tions!	
15.2. Chemical safety assessment		
For the following substances of this mix phosphoric acid	cture a chemical safety assessment has been carried out:	
Selenium dioxide		
copper sulphate pentahydrate		
zinc oxide		
sodium fluoride		



according to Regulation (EC) No 1907/2006

# Ultra-7

Revision: 29.08.2023

Product code: DG-001

Page 13 of 15

# **SECTION 16: Other information**

Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16. Version 1,00 - 28.08.2020 - first creation Version 1,01 - 09.02.2022 - General update Version 1,02 - 29.08.2023 - Change and revision of the SDS because of new information / recipe





according to Regulation (EC) No 1907/2006

# Ultra-7

Revision: 29.08.2023

Product code: DG-001

Page 14 of 15

Abbreviations and acronyms Met. Corr. 1: Corrosive to metals, hazard category 1 Acute Tox. 2: Acute toxicity, hazard category 2 Skin Corr. 1B: Skin corrosion, sub-category 1B Skin Irrit. 2: Skin irritation, hazard category 2 Eye Dam. 1: Serious eye damage, hazard category 1 Eye Irrit. 2: Eye irritation, hazard category 2 Resp. Sens. 1: Respiratory sensitisation, hazard category 1 Skin Sens. 1: Skin sensitisation, hazard category 1 Muta. 2: Germ cell mutagenicity, hazard category 2 Carc. 1A: Carcinogenicity, hazard category 1A Repr. 1B: Reproductive toxicity, hazard category 1B STOT RE 1: Specific target organ toxicity - repeated exposure, hazard category 1 Aquatic Acute 1: Hazardous to the aquatic environment, hazard category: Acute 1 Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard category: Chronic 1 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) BImSchV (Fed.Imm.Prot.Act): Directive on the Implementation of the Federal Immission Protection Act CAS: Chemical Abstracts Service DIN: Norm of the Deutsche Institut für Normung (German Institute for Standardization) EC: Effective Concentration EG: European Community (Europäische Gemeinschaft) EN: European Norm IATA: International Air Transport Association IBC Code: International Code for the Construction and Equipment of ships carrying Dangerous Chemicals in Bulk ICAO: International Civil Aviation Organization IMDG: International Maritime Code for Dangerous Goods ISO: Norm of the International Standards Organization CLP: Classification, Labeling, Packaging IUCLID: International Uniform Chemical Information Database I C: Lethal concentration I D: Lethal dose log Kow: Octanol/water partition coefficient MARPOL: Maritime Pollution Convention = Convention for the Prevention of Maritime Pollution from Ships OECD: Organisation for Economic Co-operation and Development PBT: Persistent, bio-cumulative, toxic RID: Regulation Concerning the International Transport of Dangerous Goods by Rail TRGS: Technische Regeln für Gefahrstoffe **UN: United Nations** VOC: Volatile Organic Compounds vPvB: very persistent and very bio-cumulative VwVwS: Administrative Regulation for Water Pollutants WGK: German Water Hazard Class GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances FLINCS: European List of Notified Chemical Substances DNFL: Derived No Effect Level PNEC: Predicted No Effect Concentration TLV: Threshold Limiting Value STOT: Specific Target Organ Toxicity



Ultra-7

Revision: 29.08.2023

Product code: DG-001

Page 15 of 15

# Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Acute Tox. 4; H332	Calculation method
Acute Tox. 4; H302	Calculation method
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method
Skin Sens. 1; H317	Calculation method
Aquatic Acute 1; H400	Calculation method
Aquatic Chronic 2; H411	Calculation method

## Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H302+H332	Harmful if swallowed or if inhaled.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341	Suspected of causing genetic defects.
H350i	May cause cancer by inhalation.
H360D	May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH032	Contact with acids liberates very toxic gas.

## **Further Information**

The information given in this safety data sheet is to describe the product's safety regulations. It is not for guaranteeing certain characteristics and is based on today's knowledge. The safety data sheet was generated upon information of pre-suppliers by:

asseso AG, Ottostraße 1, 63741, Aschaffenburg, Germany Phone: +49 (0)6021 - 1 50 86-0, Fax: +49 (0)6021 - 1 50 86-77, E-Mail: eu-sds@asseso.eu, www.asseso.eu

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)