

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Redox-Nickel

Revision date: 03.12.2021

Product code: DG-014

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking
1.1. Product identifier

Redox-Nickel

UFI: FV00-70PD-M00N-F7NR

1.2. Relevant identified uses of the substance or mixture and uses advised against
Use of the substance/mixture

Electroless / chemical nickel plating of metals

Uses advised against

Other uses than those specified in section 1.2 of this safety data sheet are not recommended.

1.3. Details of the supplier of the safety data sheet

Company name: Dr. Galva Thomas Henning
 Street: Jungholzstraße 7A
 Place: D-76726 Germersheim
 Telephone: +49 7274 – 907 91 27
 e-mail: info@drgalva.com
 Internet: www.drgalva.com

1.4. Emergency telephone number:

Emergency Action: In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department or the NHS enquiry service.

SECTION 2: Hazards identification
2.1. Classification of the substance or mixture
Regulation (EC) No. 1272/2008

Hazard categories:
 Respiratory or skin sensitisation: Skin Sens. 1
 Hazardous to the aquatic environment: Aquatic Chronic 3
 Hazard Statements:
 May cause an allergic skin reaction.
 Harmful to aquatic life with long lasting effects.

2.2. Label elements
Regulation (EC) No. 1272/2008
Hazard components for labelling

nickel dichloride
 nickel sulfate
 nickel bis(sulfamidate); nickel sulfamate (anhydrate)
 nickel di(acetate)
 diammonium nickel bis(sulfate)

Signal word: Warning

Pictograms:

Hazard statements

H317 May cause an allergic skin reaction.
 H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P102 Keep out of reach of children.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Redox-Nickel

Revision date: 03.12.2021

Product code: DG-014

Page 2 of 10

P103	Read carefully and follow all instructions.
P261	Avoid breathing dust/vapours/spray.
P280	Wear protective gloves and eye/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P501	Dispose of contents/container according to regional/national regulations. Do not discard with household waste.

2.3. Other hazards

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

SECTION 3: Composition/information on ingredients
3.2. Mixtures
Hazardous components

CAS No	Chemical name	Quantity
	EC No	
	Index No	
	REACH No	
	GHS Classification	
7718-54-9	nickel dichloride	< 0.1 %
	231-743-0	
	028-011-00-6	
	Carc. 1A, Muta. 2, Repr. 1B, Acute Tox. 3, Acute Tox. 3, Skin Irrit. 2, Resp. Sens. 1, Skin Sens. 1, STOT RE 1, Aquatic Acute 1, Aquatic Chronic 1; H350i H341 H360D H331 H301 H315 H334 H317 H372 H400 H410	
7786-81-4	nickel sulfate	< 0.1 %
	232-104-9	
	028-009-00-5	
	Carc. 1A, Muta. 2, Repr. 1B, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Resp. Sens. 1, Skin Sens. 1, STOT RE 1, Aquatic Acute 1, Aquatic Chronic 1; H350i H341 H360D H332 H302 H315 H334 H317 H372 H400 H410	
13770-89-3	nickel bis(sulfamidate); nickel sulfamate (anhydrate)	< 0.1 %
	237-396-1	
	028-018-00-4	
	Carc. 1A, Muta. 2, Repr. 1B, Acute Tox. 4, Acute Tox. 4, Resp. Sens. 1, Skin Sens. 1, STOT RE 1, Aquatic Acute 1, Aquatic Chronic 1; H350i H341 H360D H302 H334 H317 H372 H400 H410	
373-02-4	nickel di(acetate)	< 0.1 %
	206-761-7	
	028-022-00-6	
	Carc. 1A, Muta. 2, Repr. 1B, Acute Tox. 4, Acute Tox. 4, Resp. Sens. 1, Skin Sens. 1, STOT RE 1, Aquatic Acute 1, Aquatic Chronic 1; H350i H341 H360D H332 H302 H334 H317 H372 H400 H410	
15699-18-0	diammonium nickel bis(sulfate)	< 0.1 %
	239-793-5	
	Carc. 1A, Muta. 2, Repr. 1B, Acute Tox. 4, Acute Tox. 4, Resp. Sens. 1, Skin Sens. 1, STOT RE 1, Aquatic Acute 1, Aquatic Chronic 1; H350i H341 H360D H332 H302 H334 H317 H372 H400 H410	

Full text of H and EUH statements: see section 16.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Redox-Nickel

Revision date: 03.12.2021

Product code: DG-014

Page 3 of 10

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
7718-54-9	231-743-0	nickel dichloride	< 0.1 %
	inhalation: ATE = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); oral: LD50 = 105 - 681 mg/kg Skin Irrit. 2; H315: >= 20 - 100 Skin Sens. 1; H317: >= 0,01 - 100 STOT RE 1; H372: >= 1 - 100 STOT RE 2; H373: >= 0,1 - < 1 M acute; H400: M=1 M chron.; H410: M=1		
7786-81-4	232-104-9	nickel sulfate	< 0.1 %
	inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: ATE = 500 mg/kg Skin Irrit. 2; H315: >= 20 - 100 Skin Sens. 1; H317: >= 0,01 - 100 STOT RE 1; H372: >= 1 - 100 STOT RE 2; H373: >= 0,1 - < 1 M acute; H400: M=1 M chron.; H410: M=1		
13770-89-3	237-396-1	nickel bis(sulfamidate); nickel sulfamate (anhydrate)	< 0.1 %
	oral: ATE 853 mg/kg Skin Sens. 1; H317: >= 0,01 - 100 STOT RE 1; H372: >= 1 - 100 STOT RE 2; H373: >= 0,1 - < 1 M acute; H400: M=1 M chron.; H410: M=1		
373-02-4	206-761-7	nickel di(acetate)	< 0.1 %
	inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: ATE = 500 mg/kg Skin Sens. 1; H317: >= 0,01 - 100 STOT RE 1; H372: >= 1 - 100 STOT RE 2; H373: >= 0,1 - < 1 M acute; H400: M=1 M chron.; H410: M=1		
15699-18-0	239-793-5	diammonium nickel bis(sulfate)	< 0.1 %
	inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: ATE = 500 mg/kg Skin Sens. 1; H317: >= 0,01 - 100 STOT RE 1; H372: >= 1 - 100 STOT RE 2; H373: >= 0,1 - < 1 M acute; H400: M=10 M chron.; H410: M=10		

Further Information

The percentages of the ingredients not listed here are all below the level of consideration.

SECTION 4: First aid measures
4.1. Description of first aid measures
General information

In case of troubles or persistent symptoms, consult an doctor/physician.

Remove persons from danger area and lie them down. Never orally infuse something to an unconscious person. No special first aid measures necessary. A vomiting, supine person must be brought into recovery position.

After inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician.

In case of irregular breathing or respiratory arrest, perform artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Call a doctor. Change contaminated clothing. Wash contaminated clothing before reuse.

After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately. Protect uninjured eye.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Redox-Nickel

Revision date: 03.12.2021

Product code: DG-014

Page 4 of 10

After ingestion

Rinse mouth, spit liquid again. Do NOT induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**Co-ordinate fire-fighting measures to the fire surroundings.
Carbon dioxide (CO₂). Extinguishing powder. Atomized water. Foam.**Unsuitable extinguishing media**

High power water jet.

5.2. Special hazards arising from the substance or mixture

Upon exposure to fire, harmful gases may be emitted.

5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings. Wear a self-contained breathing apparatus and chemical protective clothing.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**Wear suitable protective clothing.
Avoid contact with skin, eyes and clothes. Wear personal protection equipment.**6.2. Environmental precautions**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up**Other information**Remove material mechanically. Treat the recovered material as prescribed in the section on waste disposal.
Clean contaminated articles and floor according to the environmental legislation.**6.4. Reference to other sections**Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**Personal precautions: refer to section 8
Provide adequate ventilation, especially in confined areas.**Advice on general occupational hygiene**

Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

Further information on handling

Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Redox-Nickel

Revision date: 03.12.2021

Product code: DG-014

Page 5 of 10

Requirements for storage rooms and vessels

Store only in original container. Keep container tightly closed in a cool, well-ventilated place.
 Protect from heat/overheating.
 Store separately from oxidizing agents.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

7.3. Specific end use(s)

Electroless / chemical nickel plating of metals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m ³	fib/cm ³	Category	Origin
-	Nickel, inorganic compounds (as Ni), soluble compounds	-	0.1		TWA (8 h)	

Biological limit values

CAS No	Substance	Parameter	Value	Test material	Sampling time
-	Nickel compounds	Ni	3 µg/L	Urine	After several consecutive working shifts

8.2. Exposure controls

Individual protection measures, such as personal protective equipment

Eye/face protection

Tightly sealed safety glasses.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Skin protection

The design of personal protective equipment must be selected specifically for the job, depending on the concentration and quantity of hazardous substances. The chemical resistance of the protective agents should be clarified with their suppliers.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Protective respiration apparatus not using surrounding air (breathing apparatus) (DIN EN 133).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
 Colour: green
 Odour: characteristic

Changes in the physical state

Melting point/freezing point: no data available
 Boiling point or initial boiling point and boiling range: 100 °C

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Redox-Nickel

Revision date: 03.12.2021

Product code: DG-014

Page 6 of 10

Flash point: not applicable

Flammability

Solid/liquid: no data available

Explosive properties

not Explosive.

Lower explosion limits: no data available

Upper explosion limits: no data available

Auto-ignition temperature: no data available

Self-ignition temperature

Solid: no data available

Decomposition temperature: no data available

pH-Value (at 20 °C): 4-4,5

Viscosity / dynamic: no data available

Viscosity / kinematic: no data available

Water solubility: no data available

Solubility in other solvents

no data available

Partition coefficient n-octanol/water: no data available

Density: 1,0-1,1 g/cm³

Bulk density: no data available

9.2. Other information

Oxidizing properties
no data available

Further Information

no data available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is stable under normal environmental conditions (room temperature).

10.2. Chemical stability

The product is stable under normal environmental conditions (room temperature).

10.3. Possibility of hazardous reactions

Protect against heat and direct solar irradiation. Protect against contaminations.

10.4. Conditions to avoid

Keep away from heat.

10.5. Incompatible materials

Oxidising substances

10.6. Hazardous decomposition products

Upon exposure to fire, harmful gases may be emitted.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Redox-Nickel

Revision date: 03.12.2021

Product code: DG-014

Page 7 of 10

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7718-54-9	nickel dichloride				
	oral	LD50 105 - 681 mg/kg	Rat	GESTIS	
	inhalation vapour	ATE 3 mg/l			
	inhalation aerosol	ATE 0,5 mg/l			
7786-81-4	nickel sulfate				
	oral	ATE 500 mg/kg			
	inhalation vapour	ATE 11 mg/l			
	inhalation aerosol	ATE 1,5 mg/l			
13770-89-3	nickel bis(sulfamidate); nickel sulfamate (anhydrate)				
	oral	ATE 853 mg/kg			
373-02-4	nickel di(acetate)				
	oral	ATE 500 mg/kg			
	inhalation vapour	ATE 11 mg/l			
	inhalation aerosol	ATE 1,5 mg/l			
15699-18-0	diammonium nickel bis(sulfate)				
	oral	ATE 500 mg/kg			
	inhalation vapour	ATE 11 mg/l			
	inhalation aerosol	ATE 1,5 mg/l			

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

May cause an allergic skin reaction. (nickel dichloride; nickel sulfate; nickel bis(sulfamidate); nickel sulfamate (anhydrate); nickel di(acetate); diammonium nickel bis(sulfate))

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards
Endocrine disrupting properties

none known

SECTION 12: Ecological information
12.1. Toxicity

Harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability

No data available.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Redox-Nickel

Revision date: 03.12.2021

Product code: DG-014

Page 8 of 10

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Endocrine disrupting properties

none known

12.7. Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Disposal according to official regulations.

Consult the local waste disposal expert about waste disposal. According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Redox-Nickel

Revision date: 03.12.2021

Product code: DG-014

Page 9 of 10

14.6. Special precautions for user

No special precautions known.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 27, Entry 28

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

Additional information

Regulation (EC) No. 1907/2006 (REACH)

Regulation (EC) No. 648/2004 (Detergents regulation): not applicable

Regulation (EC) No. 1005/2009 on substances that lead to the depletion of the ozone layer: not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants: not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council concerning the export and import of dangerous chemicals: This mix contains no chemicals that are subject to the export notification procedures (annex 1).

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none

This mixture contains the following substances of very high concern (SVHC) which are subject to authorisation according to Annex XIV of REACH: none

National regulatory information

Employment restrictions: Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of child-bearing age.

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,7,9,10,11,12,14,15,16.

Version 1,00 - 25.03.2021 - first creation

Version 1,01 - 03.12.2021 - Change and revision of the SDS because of new information / recipe

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

BlmSchV (Fed.Imm.Prot.Act): Directive on the Implementation of the Federal Immission Protection Act

CAS: Chemical Abstracts Service

DIN: Norm of the Deutsche Institut für Normung (German Institute for Standardization)

EC: Effective Concentration

EG: European Community (Europäische Gemeinschaft)

EN: European Norm

IATA: International Air Transport Association

IBC Code: International Code for the Construction and Equipment of ships carrying Dangerous Chemicals in Bulk

ICAO: International Civil Aviation Organization

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Redox-Nickel

Revision date: 03.12.2021

Product code: DG-014

Page 10 of 10

IMDG: International Maritime Code for Dangerous Goods
 ISO: Norm of the International Standards Organization
 CLP: Classification, Labeling, Packaging
 IUCLID: International Uniform Chemical Information Database
 LC: Lethal concentration
 LD: Lethal dose
 log Kow: Octanol/water partition coefficient
 MARPOL: Maritime Pollution Convention = Convention for the Prevention of Maritime Pollution from Ships
 OECD: Organisation for Economic Co-operation and Development
 PBT: Persistent, bio-cumulative, toxic
 RID: Regulation Concerning the International Transport of Dangerous Goods by Rail
 TRGS: Technische Regeln für Gefahrstoffe
 UN: United Nations
 VOC: Volatile Organic Compounds
 vPvB: very persistent and very bio-cumulative
 VwVwS: Administrative Regulation for Water Pollutants
 WGK: German Water Hazard Class
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 DNEL: Derived No Effect Level
 PNEC: Predicted No Effect Concentration
 TLV: Threshold Limiting Value
 STOT: Specific Target Organ Toxicity

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Skin Sens. 1; H317	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341	Suspected of causing genetic defects.
H350i	May cause cancer by inhalation.
H360D	May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Further Information

The information given in this safety data sheet is to describe the product's safety regulations. It is not for guaranteeing certain characteristics and is based on today's knowledge. The safety data sheet was generated upon information of pre-suppliers by:

asseso AG, Ottostraße 1, 63741, Aschaffenburg, Germany
 Phone: +49 (0)6021 - 1 50 86-0, Fax: +49 (0)6021 - 1 50 86-77, E-Mail: eu-sds@asseso.eu, www.asseso.eu

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)